



VENTE ET REPARATION CYCLES

SCOTT Aspect 740 2022



Frame
Aspect 900-700 series / Alloy 6061 Custom
Butted Tubing. BSA73 / Internal Cable
Routing / Replaceable hanger

Fork
Suntour XCR32 / X1-RL-R / Hyd. Lockout /
Reb. Adj. / 100mm travel

Headset
Syncros OE PF 1 1/8" OD 50mm/ID 44mm

Rear Dérailleur
Shimano Alivio RD-M3100
18 Speed

Front Dérailleur
Shimano FD-M3120 - Side Wing / 34.9mm

Shifters
Shimano SL-M3100-9R
R-fire plus / 2 way release
w/gear indicator

Brakes
Shimano MT200 / Hydr. Disc

Disc Brakes
Shimano SM-RT10 Center Lock
160F / 160R rotor

Crankset
Shimano FC-MT2102
36x22 w/CG

BB-Set
Shimano BB-MT500
Hollowtech II / Threaded

Handlebar
Syncros 3.0 / 720mm / 31.8mm / black
12mm rise / 9° BS - Syncros Pro Grips

H'stem
Syncros 3.0 / 7° / Black

Pedals
VP VP-536

Seatpost
Syncros 3.0
31.6mm / 350mm / Black

Seat
Syncros 3.0

Chain
KMC X9

Cassette
Shimano CS-HG200-9 / 11-36T

Hub (Front)
Shimano HB TX505 FQR disc

Hub (Rear)
Shimano FH-TX5058 9s RQR disc

Spokes
14G Stainless Black

Rims
Syncros X-20 Disc
32H / black


Tires
Kenda Booster 27.5" x 2.4 / 30TPI

Aprox weights in KG
14.05

System Weight
128 kg
Le poids total inclus le vélo, le poids du
cycliste, son équipement et des éventuels
accessoires.

Le Scott Aspect 740 est un VTT semi-rigide conçu
pour être léger, efficace et à un prix raisonnable.
Doté de freins à disque et de composants Syncros,
ce modèle est parfait pour les débutants et pour les
vététistes soucieux de leur budget.





ASPECT

		XS	S	M	L
A	head tube angle	68 °	68.0 °	68.0 °	68.0 °
B	head tube length	95.0 mm	100.0 mm	110.0 mm	120.0 mm
C	top tube horizontal	560.0 mm	585.0 mm	600.0 mm	615.0 mm
D	standover height	720.0 mm	745.0 mm	776.0 mm	799.0 mm
E	BB offset	-44.0 mm	-44.0 mm	-44.0 mm	-44.0 mm
F	BB height	308.5 mm	308.5 mm	308.5 mm	308.5 mm
G	wheel base	1087.0 mm	1115.0 mm	1131.0 mm	1147.0 mm
H	BB center to toptube center	314.0 mm	344.0 mm	389.0 mm	429.0 mm
I	BB center to top of seat tube	355.0 mm	395.0 mm	440.0 mm	480.0 mm
J	seat angle	74.0 °	74.0 °	74.0 °	74.0 °
K	chainstay	435.0 mm	435.0 mm	435.0 mm	435.0 mm
L	reach	402.0 mm	420.0 mm	432.0 mm	445.0 mm
M	stack	552.0 mm	575.0 mm	584.0 mm	594.0 mm
N	stem length	50.0 mm	60.0 mm	70.0 mm	80.0 mm

SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK		S	L		
SPARK eRIDE				XL	
CONTESSA SPARK		M			
CONTESSA SPARK eRIDE					
AXIS EVO eRIDE					
GENIUS					
CONTESSA GENIUS		S	L		
GENIUS eRIDE				XL	
CONTESSA GENIUS eRIDE		M			
RANSOM					
STRIKE eRIDE					
CONTESSA STRIKE eRIDE					
GAMBLER		S	M	L	
SCALE	XS		M	XL	
CONTESSA SCALE		S			XXL
BIG JON			L		
ASPECT	XS	M		XL	
ASPECT eRIDE		S	L		XXL
CONTESSA ASPECT eRIDE					
AXIS eRIDE					
FOIL					
ADDICT					
CONTESSA ADDICT					
ADDICT CX	XXS	S	L		XXL
MATRIX		XS	M	XL	
SPEEDSTER					
CONTESSA SPEEDSTER					
ADDICT GRAVEL					
SPEEDSTER GRAVEL					
CONTESSA SPEEDSTER GRAVEL					
SILENCE eRIDE		S	L		XXL
SUB			M	XL	
SUB eRIDE					
PLASMA		S	M	L	XL
CONTESSA ACTIVE	XS	M			
CONTESSA SCALE ALLOY		S	L		
FUTUREPRO					
Body Height	140-150 cm	150-160 cm	160-170 cm		
SCALE 700		XS	S	M	
SPARK 700		XS	S		
SPARK 600	XS				
ROXTER 600		S			
CONTESSA 600	XS		M		
ROXTER eRIDE 26					
JUNIOR					
Body Height Approximate Age	85-100 cm 2-4	90-110 cm 3-5	95-125 cm 4-6	120-135 cm 6-9	130-145 cm 9-11
SCALE			Wheel 16"	Wheel 20"	Wheel 24"
ROXTER	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
CONTESSA	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
GRAVEL					Wheel 24"
ROXTER eRIDE 24					Wheel 24"