



VENTE ET REPARATION CYCLES

SCOTT Aspect 760 2022




Frame	Aspect 900-700 series / Alloy 6061 Custom Butted Tubing. BSA73 / Internal Cable Routing / Replaceable hanger
Fork	Suntour XCE28 100mm travel
Headset	Ritchey LOGIC ZERO-OE
Rear Derailleur	Shimano Tourney RD-TX800 16 Speed
Front Derailleur	Shimano FD-M315-TS / 34.9mm
Shifters	Shimano SL-M315-8R R-fire plus / 2 way release w/gear indicator
Brakes	Tektro HDM275 / Hydr. Disc
Disc Brakes	Tektro SI 6 trous 160F / 160R rotor
Crankset	Prowheel TM-CY01 36x22 w/CG
BB-Set	Feimin FP.B908N BB73 / square taper
Handlebar	HL MTB-AL-312BT / 720mm black / 12mm rise - Syncros Pro Grips
H'stem	TDS-C301-8FOV / 10° / 31.8 / Black
Pedals	Feimin FP-873-ZU
Seatpost	HL SP C207 31.6mm / 350mm / Black
Seat	Syncros 3.0
Chain	KMC Z-8.3
Cassette	Sunrace CSM55 8AV / 11-34T

Hub (Front)	Formula DC-19 FQR disc
Hub (Rear)	Formula DC-25 8s RQR disc
Spokes	14G Stainless Black
Rims	Syncros X-20 Disc 32H / black
Tires	Kenda Booster 27.5" x 2.4 / 30TPI
Aprox weights in KG	14.50
System Weight	128 kg Le poids total inclus le vélo, le poids du cycliste, son équipement et des éventuels accessoires.

Le Scott Aspect 760 est un VTT semi-rigide conçu pour être léger, efficace et à un prix raisonnable. Doté de freins à disque et de composants Syncros, ce modèle est parfait pour les débutants et pour les vététistes soucieux de leur budget.



SCOTT Aspect 760 2022



ASPECT

		XS	S	M	L
A	head tube angle	68 °	68.0 °	68.0 °	68.0 °
B	head tube length	95.0 mm	100.0 mm	110.0 mm	120.0 mm
C	top tube horizontal	560.0 mm	585.0 mm	600.0 mm	615.0 mm
D	standover height	720.0 mm	745.0 mm	776.0 mm	799.0 mm
E	BB offset	-44.0 mm	-44.0 mm	-44.0 mm	-44.0 mm
F	BB height	308.5 mm	308.5 mm	308.5 mm	308.5 mm
G	wheel base	1087.0 mm	1115.0 mm	1131.0 mm	1147.0 mm
H	BB center to toptube center	314.0 mm	344.0 mm	389.0 mm	429.0 mm
I	BB center to top of seattube	355.0 mm	395.0 mm	440.0 mm	480.0 mm
J	seat angle	74.0 °	74.0 °	74.0 °	74.0 °
K	chainstay	435.0 mm	435.0 mm	435.0 mm	435.0 mm
L	reach	402.0 mm	420.0 mm	432.0 mm	445.0 mm
M	stack	552.0 mm	575.0 mm	584.0 mm	594.0 mm
N	stem length	50.0 mm	60.0 mm	70.0 mm	80.0 mm

SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK		S	L		
SPARK eRIDE					
CONTESSA SPARK					
CONTESSA SPARK eRIDE		M		XL	
AXIS EVO eRIDE					
GENIUS					
CONTESSA GENIUS					
GENIUS eRIDE		S	L		
CONTESSA GENIUS eRIDE					
RANSOM		M		XL	
STRIKE eRIDE					
CONTESSA STRIKE eRIDE					
GAMBLER		S	L		
SCALE					
CONTESSA SCALE	XS		M	XL	
BIG JON		S	L		XXL
ASPECT	XS	M		XL	
ASPECT eRIDE					
CONTESSA ASPECT eRIDE		S	L		XXL
AXIS eRIDE					
FOIL					
ADDICT					
CONTESSA ADDICT					
ADDICT CX	XXS	S	L		XXL
MATRIX		XS	M	XL	
SPEEDSTER					
CONTESSA SPEEDSTER					
ADDICT GRAVEL					
SPEEDSTER GRAVEL					
CONTESSA SPEEDSTER GRAVEL					
SILENCE eRIDE		S	L		XXL
SUB					
SUB eRIDE		M		XL	
PLASMA		S	L	XL	
CONTESSA ACTIVE					
CONTESSA SCALE ALLOY	XS	M	L		
FUTUREPRO					
Body Height	140-150 cm	150-160 cm	160-170 cm		
SCALE 700		S	M		
SPARK 700					
SPARK 600	XS				
ROXTER 600		S			
CONTESSA 600	XS		M		
ROXTER eRIDE 26					
JUNIOR					
Body Height Approximate Age	85-100 cm 2-4	90-110 cm 3-5	95-125 cm 4-6	120-135 cm 6-9	130-145 cm 9-11
SCALE			Wheel 16"	Wheel 20"	Wheel 24"
ROXTER	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
CONTESSA	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
GRAVEL					Wheel 24"
ROXTER eRIDE 24					Wheel 24"