



VENTE ET REPARATION CYCLES

## SCOTT Aspect 920 2022




Frame	Aspect 900 series / Alloy 6061 Custom Butted Tubing. Boost QR 5x141 / Internal Cable Routing / Replaceable hanger
Fork	Suntour XCR32 / RL-R Air / Alloy Steerer Remote Lockout / Reb. Adj. / 100mm travel
Headset	Syncros OE PF / Reduce 1.5" - 1 1/8" OD 50/62mm / ID 44/56mm
Rear Derailleur	Shimano XT RD-M8000 SGS Shadow Type / 22 Speed
Front Derailleur	Shimano FD-M5100 - Side Wing / 34.9mm
Shifters	Shimano Deore SL-M5100-11R R-fire plus / 2 way release
Brakes	Shimano MT200 / Hydr. Disc
Disc Brakes	Shimano SM-RT10 Center Lock 180F / 160R rotor
Crankset	Shimano FC-M5100-B2 2-piece design / 36x26
BB-Set	Shimano BB-MT500-PA Shell 41x92mm
Handlebar	Syncros 3.0 / 720mm / 31.8mm / black 12mm rise / 9° BS - Syncros Lock-on Grips
H'stem	Syncros 3.0 / 7° / Black
Pedals	VP VP-536
Seatpost	Syncros 3.0 31.6mm / 350mm / Black
Seat	Syncros 3.0
Chain	KMC X11
Cassette	Shimano CS-M5100-11 / 11-42T

Hub (Front)	Formula CL51 FQR disc
Hub (Rear)	Formula CL2241 11s RQR141mm disc
Spokes	14G Stainless Black
Rims	Syncros X-20 Disc 32H / black
Tires	Kenda Booster 29" x 2.4 / 30TPI
Aprox weights in KG	13.90
System Weight	128 kg Le poids total inclus le vélo, le poids du cycliste, son équipement et des éventuels accessoires.



Le Scott Aspect 920 est un VTT semi-rigide conçu pour être léger, efficace et à un prix raisonnable. Doté d'un système de blocage de la fourche au guidon, de freins à disque Shimano et de composants Syncros, ce modèle est parfait pour les débutants et pour les vététistes soucieux de leur budget.



ASPECT

		XS	S	M	L	XL	XXL
A	head tube angle	68.5 °	68.5 °	68.5 °	68.5 °	68.5 °	68.5 °
B	head tube length	95.0 mm	100.0 mm	110.0 mm	120.0 mm	135.0 mm	150.0 mm
C	top tube horizontal	560.0 mm	585.0 mm	600.0 mm	615.0 mm	635.0 mm	655.0 mm
D	standover height	743.0 mm	771.0 mm	783.0 mm	821.0 mm	857.0 mm	891.0 mm
E	BB offset	-60.0 mm	-60.0 mm	-60.0 mm	-60.0 mm	-60.0 mm	-60.0 mm
F	BB height	316.0 mm	316.0 mm	316.0 mm	316.0 mm	316.0 mm	316.0 mm
G	wheel base	1102.0 mm	1090.0 mm	1102.0 mm	1123.0 mm	1144.0 mm	1164.0 mm
H	BB center to toptube center	309.0 mm	349.0 mm	394.0 mm	434.0 mm	484.0 mm	534.0 mm
I	BB center to top of seattube	355.0 mm	395.0 mm	440.0 mm	480.0 mm	530.0 mm	580.0 mm
J	seat angle	73.5 °	73.5 °	73.5 °	73.5 °	73.5 °	73.5 °
K	chainstay	450.0 mm	450.0 mm	450.0 mm	450.0 mm	450.0 mm	450.0 mm
L	reach	388.0 mm	406.0 mm	419.0 mm	431.0 mm	447.0 mm	463.0 mm
M	stack	580.0 mm	603.0 mm	612.0 mm	622.0 mm	636.0 mm	649.0 mm
N	stem length	50.0 mm	60.0 mm	70.0 mm	80.0 mm	90.0 mm	100.0 mm

## SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK SPARK eRIDE CONTESSA SPARK CONTESSA SPARK eRIDE AXIS EVO eRIDE		S	M	L	XL
GENIUS CONTESSA GENIUS GENIUS eRIDE CONTESSA GENIUS eRIDE RANSOM STRIKE eRIDE CONTESSA STRIKE eRIDE		S	M	L	XL
GAMBLER		S	M	L	
SCALE CONTESSA SCALE BIG JON	XS	S	M	L	XL
ASPECT ASPECT eRIDE CONTESSA ASPECT eRIDE AXIS eRIDE	XS	S	M	L	XL
FOIL ADDICT CONTESSA ADDICT ADDICT CX METRIX SPEEDSTER CONTESSA SPEEDSTER ADDICT GRAVEL SPEEDSTER GRAVEL CONTESSA SPEEDSTER GRAVEL	XXS	XS	S	M	L
SILENCE eRIDE SUB SUB eRIDE		S	M	L	XL
PLASMA		S	M	L	XL
CONTESSA ACTIVE CONTESSA SCALE ALLOY	XS	S	M	L	
<b>FUTUREPRO</b>					
Body Height	140-150 cm	150-160 cm	160-170 cm		
SCALE 700		XS	S	M	
SPARK 700		XS	S		
SPARK 600	XS				
ROXTER 600 CONTESSA 600 ROXTER eRIDE 26	XS	S	M		
<b>JUNIOR</b>					
Body Height	85-100 cm	90-110 cm	95-125 cm	120-135 cm	130-145 cm
Approximate Age	2-4	3-5	4-6	6-9	9-11
SCALE			Wheel 16"	Wheel 20"	Wheel 24"
ROXTER	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
CONTESSA	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
GRAVEL					Wheel 24"
ROXTER eRIDE 24					Wheel 24"