



VENTE ET REPARATION CYCLES

## SCOTT Sub Cross 40 Lady 2022



**Frame**  
Sub Cross Alloy 6061 28" / Custom Butted Tubing / Sub Cross Lady geometry / Scott urban kit ready

**Fork**  
Zoom 187 D / 63mm travel

**Headset**  
Syncross OE Press Fit / 1 1/8" OD 50mm / ID 44mm

**Rear Derailleur**  
Shimano Altus RD-M2000  
27 Speed

**Front Derailleur**  
Shimano FD-M370 / 34.9mm

**Shifters**  
Shimano SL-M2010-9R  
R-fire plus / 2 way release  
w/gear indicator

**Brakes**  
Tektro HDM275 / Hydr. Disc

**Disc Brakes**  
Tektro SI 6 trous  
160F / 160R rotor

**Crankset**  
Shimano FC-M371-L  
48x36x26 w/CG

**BB-Set**  
Feimin FP-B908N  
Cartridge Type

**Handlebar**  
Lady : Syncros 3.0 660mm / 15° bend  
Grips Lock-On Syncros

**H'stem**  
Syncros 3.0 / 7° / 31.8 / Black

**Pedals**  
Feimin FP-873-ZU

**Seatpost**  
Syncros 3.0  
31.6mm / 350mm / Black

**Seat**  
Syncros UC3.0W

**Chain**  
KMC X9

**Cassette**  
Shimano CS-HG200-9 / 11-32T

**Hub (Front)**  
Formula DC-19 FQR disc

**Hub (Rear)**  
Formula DC-25 9s RQR disc

**Spokes**  
14G Stainless Black

**Rims**  
Syncros X-20 Disc  
32H / black


**Tires**  
Kenda Booster / 700 x 45C / 30TPI

**Aprox weights in KG**  
13.64

**System Weight**  
128 kg  
Le poids total inclus le vélo, le poids du cycliste, son équipement et des éventuels accessoires.



Le SCOTT Sub Cross 40 met l'accent sur le confort et l'aspect pratique pour vous accompagner dans tous vos déplacements. Doté de freins à disque et de composants Syncros, le Sub Cross est parfaitement équipé pour toutes vos excursions.



SUB CROSS LADY

	S	M	L	XL
A head tube angle	70 °	70.0 °	70.0 °	70.0 °
B head tube length	115.0 mm	130.0 mm	155.0 mm	180.0 mm
C top tube horizontal	550.0 mm	565.0 mm	575.0 mm	590.0 mm
D standover height	679.5 mm	684.1 mm	695.8 mm	702.6 mm
E BB offset	56.0 mm	56.0 mm	56.0 mm	56.0 mm
F BB height	406.0 mm	406.0 mm	406.0 mm	406.0 mm
G wheel base	1067.0 mm	1078.0 mm	1083.0 mm	1099.0 mm
H BB center to toptube center				
I BB center to top of seattube	420.0 mm	460.0 mm	500.0 mm	544.0 mm
J seat angle	73.5 °	73.0 °	72.3 °	72.0 °
K chainstay	456.0 mm	456.0 mm	456.0 mm	456.0 mm
L reach	374.0 mm	379.0 mm	375.9 mm	383.5 mm
M stack				
N stem length	70.0 mm	80.0 mm	90.0 mm	100.0 mm

## SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK SPARK eRIDE CONTESSA SPARK CONTESSA SPARK eRIDE AXIS EVO eRIDE		S	M	L	XL
GENIUS CONTESSA GENIUS GENIUS eRIDE CONTESSA GENIUS eRIDE RANSOM STRIKE eRIDE CONTESSA STRIKE eRIDE		S	M	L	XL
GAMBLER		S	M	L	
SCALE CONTESSA SCALE BIG JON	XS	S	M	L	XL
ASPECT ASPECT eRIDE CONTESSA ASPECT eRIDE AXIS eRIDE	XS	S	M	L	XL
FOIL ADDICT CONTESSA ADDICT ADDICT CX METRIX SPEEDSTER CONTESSA SPEEDSTER ADDICT GRAVEL SPEEDSTER GRAVEL CONTESSA SPEEDSTER GRAVEL	XXS	XS	S	M	L
SILENCE eRIDE SUB SUB eRIDE		S	M	L	XL
PLASMA		S	M	L	XL
CONTESSA ACTIVE CONTESSA SCALE ALLOY	XS	S	M	L	
<b>FUTUREPRO</b>					
Body Height	140-150 cm	150-160 cm	160-170 cm		
SCALE 700		XS	S	M	
SPARK 700		XS	S		
SPARK 600	XS				
ROXTER 600 CONTESSA 600 ROXTER eRIDE 26	XS	S	M		
<b>JUNIOR</b>					
Body Height	85-100 cm	90-110 cm	95-125 cm	120-135 cm	130-145 cm
Approximate Age	2-4	3-5	4-6	6-9	9-11
SCALE			Wheel 16"	Wheel 20"	Wheel 24"
ROXTER	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
CONTESSA	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
GRAVEL					Wheel 24"
ROXTER eRIDE 24					Wheel 24"