



VENTE ET REPARATION CYCLES

SCOTT Sub Cross 40 Men 2022



Frame	Sub Cross Alloy 6061 28" / Custom Butted Tubing / Sub Cross Men geometry / Scott urban kit ready
Fork	Zoom 187 D / 63mm travel
Headset	Syncross OE Press Fit / 1 1/8" OD 50mm / ID 44mm
Rear Derailleur	Shimano Altus RD-M2000 27 Speed
Front Derailleur	Shimano FD-M370 / 34.9mm
Shifters	Shimano SL-M2010-9R R-fire plus / 2 way release w/gear indicator
Brakes	Tektro HDM275 / Hydr. Disc
Disc Brakes	Tektro SI 6 trous 160F / 160R rotor
Crankset	Shimano FC-M371-L 48x36x26 w/CG
BB-Set	Feimin FP-B908N Cartridge Type
Handlebar	Men : Syncros 3.0 660mm / 9° bend Grips Lock-On Syncros
H'stem	Syncros 3.0 / 7° / 31.8 / Black
Pedals	Feimin FP-873-ZU
Seatpost	Syncros 3.0 31.6mm / 350mm / Black
Seat	Syncros UC3.0
Chain	KMC X9
Cassette	Shimano CS-HG200-9 / 11-32T

Hub (Front)	Formula DC-19 FQR disc
Hub (Rear)	Formula DC-25 9s RQR disc
Spokes	14G Stainless Black
Rims	Syncros X-20 Disc 32H / black
Tires	Kenda Booster / 700 x 45C / 30TPI


Aprox weights in KG
13.64

System Weight
128 kg
Le poids total inclus le vélo, le poids du cycliste, son équipement et des éventuels accessoires.



Le SCOTT Sub Cross 40 met l'accent sur le confort et l'aspect pratique pour vous accompagner dans tous vos déplacements. Doté de freins à disque et de composants Syncros, le Sub Cross est parfaitement équipé pour toutes vos excursions.

SCOTT Sub Cross 40 Men 2022



SUB CROSS MEN

		S	M	L	XL	XXL
A	head tube angle	70 °	70.0 °	70.0 °	70.0 °	70.0 °
B	head tube length	105.0 mm	125.0 mm	145.0 mm	165.0 mm	185.0 mm
C	top tube horizontal	567.0 mm	577.0 mm	592.0 mm	608.0 mm	620.0 mm
D	standover height	767.0 mm	793.0 mm	817.0 mm	847.0 mm	876.0 mm
E	BB offset	56.0 mm	56.0 mm	56.0 mm	56.0 mm	56.0 mm
F	BB height	406.0 mm	406.0 mm	406.0 mm	406.0 mm	406.0 mm
G	wheel base	1078.0 mm	1084.0 mm	1097.0 mm	1110.0 mm	1123.0 mm
H	BB center to toptube center					
I	BB center to top of seattube	450.0 mm	480.0 mm	510.0 mm	550.0 mm	590.0 mm
J	seat angle	73.0 °	72.5 °	72.3 °	72.0 °	72.0 °
K	chainstay	456.0 mm	456.0 mm	456.0 mm	456.0 mm	456.0 mm
L	reach	388.3 mm	386.8 mm	393.5 mm	399.8 mm	405.6 mm
M	stack					
N	stem length	80.0 mm	90.0 mm	90.0 mm	100.0 mm	100.0 mm

SIZE CHARTS

Body Height	< 165 cm	165 - 175 cm	175 - 185 cm	185 - 195 cm	> 195 cm
SPARK		S	L		
SPARK eRIDE		S	L		
CONTESSA SPARK		S	L		
CONTESSA SPARK eRIDE		S	L		
AXIS EVO eRIDE		S	L		
GENIUS		S	L		
CONTESSA GENIUS		S	L		
GENIUS eRIDE		S	L		
CONTESSA GENIUS eRIDE		S	L		
RANSOM		S	L		
STRIKE eRIDE		S	L		
CONTESSA STRIKE eRIDE		S	L		
GAMBLER		S	L		
SCALE		S	L		
CONTESSA SCALE		S	L		
BIG JON		S	L		
ASPECT		S	L		
ASPECT eRIDE		S	L		
CONTESSA ASPECT eRIDE		S	L		
AXIS eRIDE		S	L		
FOIL		S	L		
ADDICT		S	L		
CONTESSA ADDICT		S	L		
ADDICT CX		S	L		
MATRIX		S	L		
SPEEDSTER		S	L		
CONTESSA SPEEDSTER		S	L		
ADDICT GRAVEL		S	L		
SPEEDSTER GRAVEL		S	L		
CONTESSA SPEEDSTER GRAVEL		S	L		
SILENCE eRIDE		S	L		
SUB		S	L		
SUB eRIDE		S	L		
PLASMA		S	L		
CONTESSA ACTIVE		S	L		
CONTESSA SCALE ALLOY		S	L		
FUTUREPRO					
Body Height	140-150 cm	150-160 cm	160-170 cm		
SCALE 700		S	M		
SPARK 700		S	M		
SPARK 600		S	M		
ROXTER 600		S	M		
CONTESSA 600		S	M		
ROXTER eRIDE 26		S	M		
JUNIOR					
Body Height Approximate Age	85-100 cm 2-4	90-110 cm 3-5	95-125 cm 4-6	120-135 cm 6-9	130-145 cm 9-11
SCALE			Wheel 16"	Wheel 20"	Wheel 24"
ROXTER	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
CONTESSA	Wheel 12"	Wheel 14"	Wheel 16"	Wheel 20"	Wheel 24"
GRAVEL					Wheel 24"
ROXTER eRIDE 24					Wheel 24"